

BIO-ETHANOL

FIREPLACES COLLECTION



Bio-Blaze

WWW.PALAC-KRBU.CZ

CONTENTS



06 WALL
MOUNTED



22 FREE
STANDING



38 TABLE
FIREPLACES



46 BURNERS



51 ACCESSORIES

ABOUT US ...

BIO-BLAZE[®], A FAMILY OWNED **BELGIUM** COMPANY FOUNDED IN 2002, AIMS AT OFFERING THE MARKET A RANGE OF REVOLUTIONARY **FLUELESS** FIREPLACES. BIO-BLAZE[®] PRODUCTS ARE ASSEMBLED IN OUR OWN BELGIUM AND USA FACTORIES ENABLING US TO OFFER **SAFE** PRODUCTS OF THE **HIGHEST QUALITY**.

BIO-BLAZE[®] FIREPLACES AND BURNERS ARE **ALL PATENTED, TESTED AND APPROVED PRODUCTS**.

WHETHER YOU WANT TO RENOVATE A FIREPLACE OR ARE LOOKING FOR AN OUT-OF-THE-BOX SOLUTION,

BIO-BLAZE[®] OFFERS YOU A WIDE RANGE OF **INNOVATIVE** PRODUCTS **DESIGNED** TO SUIT ALL YOUR FIREPLACE NEEDS.

ABOUT ...

About our fireplaces

No chimney! No gas! No smoke! This means that everyone can enjoy the warmth of a real flame. The Bio-Blaze® fireplaces run on bio-ethanol fuel and do not need a chimney. They do not rely on any external connection (electricity or gas).

The design of the fireplaces are specifically created for either interior and exterior use and decoration. Their natural yellow flames will instantly create a cozy atmosphere. In a condo, house or loft, on a balcony or in a garden, they can easily be attached to a wall, placed in an open space or put on a coffee table.

About bio-ethanol

Bio-Blaze® bio-ethanol is a renewable energy source made by the fermentation of sugars or starches derived from wheat, corn, sugar beets, sugar cane, beetroot, and other natural products where alcohol can be extracted from.

This makes bio-ethanol a 100% biological product. The Bio-Blaze® bio-ethanol is highly purified and denatured to avoid human consumption. The combustion of Bio-Blaze® bio-ethanol results in a clean emission without soot or other by-products. Therefore, Bio-Blaze® fireplaces do not require a chimney. The heat generated by the combustion of bio-ethanol stays in the room, which makes burning Bio-Blaze® bio-ethanol so efficient and effective.

About safer bio-fuel

SAFER-BIO-FUEL™ is a revolutionary new type of fuel for flueless fireplaces. It is non-flammable which makes it ultra-safe when handling and burning; but it is combustible and burns safely and efficiently. SAFER-BIO-FUEL™ is clean burning, non-toxic, and produces no soot, no smoke, no toxins and there is no residue left behind. It's a sustainable, renewable, planet friendly fuel... and totally green. SAFER-BIO-FUEL™, it's the safer fuel for the future of flueless fireplaces.



01 - DIAMOND I



> BLACK

 L 790 x H 625 x D 200 mm L 31" x H 24.5" x D 7.5"	 22 kg 49 lbs	 3 x 0.33 L 3 x 0.35 qt round burners with reducers	 +/- 3 hours	 2 KW 6 824 BTU	 Designed by DBK
---	---	--	---	---	--



> BLACK



> STAINLESS STEEL



> OPTIONAL GLASS



> INSTALLATION



> FILLING



> ACCESSORIES

02 - DIAMOND II



> STAINLESS STEEL

 L 790 x H 625 x D 200 mm L 31" x H 24.5" x D 7.5"	 22 kg 49 lbs	 1.2 L 1.27 qt adjustable flame	 +/- 3 hours	 2 KW 6 824 BTU	 Designed by DBK
---	---	---	--	---	--



> STAINLESS STEEL



> BLACK



> BURNER



> INSTALLATION



> OPTIONAL GLASS



> ACCESSORIES

03 - SQUARE SMALL I & II



 L 880 x H 550 x D 163 mm L 34.5" x H 21.5" x D 6.5"	 35 kg 79 lbs	 • Square I : 3 x 0.4 L 3 x 0.43 qt • Square II : 2 x 1.2 L 2 x 1.27 qt (adjustable flame)	 +/- 3 hours	 Square I : 2 KW - 6 824 BTU Square II : 3.6 KW - 12 283 BTU	 Designed by DBK
---	---	---	--	--	--



> HOW TO



This installation procedure is similar for the Square Small I, Large I and XL I (Installation Square II see page 13).

04 - SQUARE LARGE I & II



 L 1101 x H 550 x D 163 mm L 43" x H 21.5" x D 6.5"	 45 kg 92 lbs	 • Square I : 4 x 0.4 L 4 x 0.43 qt • Square II : 2 x 1.2 L 2 x 1.27 qt (adjustable flame)	 +/- 3 hours	 Square I : 2.6 KW - 8 877 BTU Square II : 3.9 KW - 13 307 BTU	 Designed by DBK
--	---	--	--	--	--



This installation procedure is similar for the Square Small II, Large II, XL II and Vertical (Installation Square I see page 11).

05 - SQUARE XL I & II



> SQUARE XL II

 L 1501 x H 550 x D 163 mm L 59" x H 21.5" x D 6.5"	 68 kg 149 lbs	 • Square I : 6 x 0.4 L 6 x 0.43 qt • Square II : 3 x 1.2 L 3 x 1.27 qt (adjustable flame)	 +/- 3 hours	 Square I : 4 KW - 13 657 BTU Square II : 5.4 KW - 18 425 BTU	 Designed by DBK
--	--	---	--	---	--



06 - SQUARE VERTICAL



> SQUARE VERTICAL

 L 550 x H 801 x D 173 mm L 21.5" x H 31.5" x D 7"	 30 kg 66 lbs	 1.2 L 1.27 qt adjustable flame	 +/- 3 hours	 2 KW 6 824 BTU	 Designed by DBK
---	---	--	--	---	--



> SQUARE VERTICAL



07 - QWARA



 L 600 x H 600 x D 170 mm L 23.5" x H 23.5" x D 6.5"	 25 kg 55 lbs	 1.2 L 1.27 qt adjustable flame	 +/- 3 hours	 2 KW 6 824 BTU	 Designed by DBK
---	---	--	---	---	--



> BLACK



> HOW TO



08 - COLOMBUS



 L 600 x H 500 x D 200 mm L 23.5" x H 19.5" x D 8"	 22 kg 49 lbs	 1.2 L 1.27 qt adjustable flame	 +/- 3 hours	 2 KW 6 824 BTU	 Designed by DBK
---	---	---	--	---	--



> WHITE

> HOW TO



09 - QUBE SMALL



> WHEELS > EASY TO MOVE



> SMALL WHITE



> SMALL BLACK



 L 800 x H 800 x D 250 mm L 31.5" x H 31.5" x D 10"	 45 kg 99 lbs	 1.5 L 1.58 qt adjustable flame	 +/- 6 hours	 2.8 KW 9 553 BTU	 Designed by DBK
--	---	--	---	---	--

10 - QUBE LARGE



 L 1200 x H 800 x D 300 mm L 47" x H 31.5" x D 11.5"	 70 kg 154 lbs	 2 x 1.5 L 2 x 1.58 qt adjustable flame	 +/- 6 hours	 5.6 KW 19 106 BTU	 Designed by DBK
--	---	---	--	---	---

11-NAVARRO LARGE



L 2000 x H 1100 x D 400mm
L 78.7" x H 43.3" x D 15.7"



50 kg
110 lbs



4 x 1L
4 x 1.06 qt
(adjustable flame)



+/- 3 hours



7.2KW - 24 657 BTU



Designed by
DBK

12-NAVARRO SMALL



 L 1000 x H 1100 x D 400mm
L 39.4" x H 43.3" x D 15.7"

 34 kg
75 lbs

 2 x 1L
2 x 1.06 qt
(adjustable flame)

 +/- 3 hours

 3.6 KW - 12 283 BTU

 Designed by
DBK

13 - ORLANDO



> WHEELS > EASY TO MOVE

 L 1004 x H 704 x D 250 mm L 39.5" x H 27.5" x D 10"	 45 kg 99 lbs	 1.5 L 1.58 qt adjustable flame	 +/- 6 hours	 2.8 KW 9 553 BTU	 Designed by DBK
--	--	---	---	--	---

14 - KEOPS



 L 500 x H 691 x D 350 mm L 19.5" x H 27" x D 13.5"	 30 kg 66 lbs	 1.2 L 1.27 qt adjustable flame	 +/- 3 hours	 2 KW 6 824 BTU	 Designed by DBK
--	---	---	---	---	--

15 - VENIZ + OPTIONAL GLASS



	With glass : L 650 x H 500 x D 417 mm L 25.5" x H 19.5" x D 16" Without glass : L 604 x H 130 x D 400 mm L 23.5" x H 5" x D 15.5"		With glass : 20 kg - 44 lbs Without glass : 15 kg - 33 lbs		2 L 2.11 qt adjustable flame		+/- 6 hours		2.8 KW 9 553 BTU		Designed by DBK
--	--	---	---	---	------------------------------------	---	-------------	---	---------------------	---	--------------------


16 - VENIZ



17 - COLUMN SMALL



 L 404 x H 810 x D 404 mm L 15.5" x H 32" x D 15.5"	 22 kg 49 lbs	 2 L 2.11 qt adjustable flame	 +/- 6 hours	 2.8 KW 9 553 BTU	 Designed by DBK
--	---	--	---	---	--



> WHEELS > EASY TO MOVE

> HOW TO



18 - COLUMN LARGE



L 404 x H 1270 x D 404 mm
L 15.5" x H 50" x D 15.5"



32 kg
70 lbs



2 L
2.11 qt
adjustable flame



+/- 6 hours



2.8 KW
9 553 BTU



Designed by
DBK



> WHEELS > EASY TO MOVE



19 - VALETTA LARGE




> LARGE GLASS



> AVAILABLE IN BLACK, WHITE OR BROWN

 L 1000 x H 600 x D 215 mm L 39" x H 23.5" x D 8.5"	 20 kg 44 lbs	 1.5 L 1.58 qt adjustable flame	 +/- 6 hours	 2.8 KW 9 553 BTU	 Designed by DBK
---	--	---	--	--	---



L 840 mm x H 400 mm x D 215 mm
L 33' x H 15.7" x D 8.5"



20 kg
44 lbs



1.5 L
1.58 qt
adjustable flame



+/- 6 hours



2.8 KW
9 553 BTU



Designed by
DBK

20 - PIPES SMALL & LARGE



	Pipes small : L 390 x H 600 x D 390 mm L 15" x H 23.5" x D 15" Ø per pipe : 100 mm - 4" Pipes large : L 390 x H 1200 x D 390 mm L 15" x H 47" x D 15" Ø per pipe : 100 mm - 4"		Pipes small : 13 kg - 28 lbs Pipes large : 18 kg - 39 lbs		3 x 0.33 L 3 x 0.35 qt round burners with reducers		+/- 3 hours		2 KW 6 824 BTU		Designed by Kris Malon
--	---	---	--	---	---	---	-------------	---	-------------------	---	---------------------------




> HOW TO



21 - PIPES MINI



 L 172 x H 250 x D 172 mm L 6.5" x H 10" x D 6.5" Ø per pipe : 60 mm - 2.4"	 3.5 kg 7.5 lbs	 3 x 0.1 L 3 x 0.11 qt round burners with reducers	 +/- 2 hours	 1.2 KW 3 412 BTU	 Designed by Kris Malon
--	---	--	---	---	---



22 - VALETTA



 L 500 x H 300 x D 142 mm L 19.5" x H 12" x D 5.5"	 12 kg 26 lbs	 0.5 L 0.53 qt	 +/- 2.5 hours	 1.2 KW 3 412 BTU	 Designed by DBK
---	---	--	---	---	--



23 - LISBOA



> BLACK



> WHITE


 L 400 x H 337 x D 300 mm L 15.5" x H 13" x D 11.5"	 20 kg 44 lbs	 1.2 L 1.27 qt adjustable flame	 +/- 3 hours	 2 KW 6 824 BTU	 Designed by DBK
--	---	---	--	---	--

24 - KASLIK



	Kaslik small : L 250 x H 272 x D 250 mm L 10" x H 10.5" x D 10" Kaslik large : L 400 x H 422 x D 400 mm L 15.5" x H 16.5" x D 15.5"		Kaslik small : 8 kg - 17.5 lbs Kaslik large : 15 kg - 33 lbs		Kaslik small : 0.5 L 0.53 qt adjustable flame Kaslik large : 1.2 L 1.27 qt adjustable flame		+/- 3 hours		Kaslik small : 1.2 KW - 3 412 BTU Kaslik large : 2 KW - 6 824 BTU		Designed by DBK
--	---	---	--	---	---	---	--------------------	---	---	---	------------------------


25 - INSERT TABLE + OPTIONAL BOX



	With box : Without box :	L 463 x H 402 x D 343 mm L 18" x H 16" x D 13.5" L 422 x H 302 x D 250 mm L 16.5" x H 12" x D 10"		With box : Without box :	25 kg - 55 lbs 20 kg - 44 lbs		2 L 2.11 qt adjustable flame		+/- 6 hours		2.8 KW 9 553 BTU		Designed by DBK
--	-----------------------------	--	---	-----------------------------	----------------------------------	---	------------------------------------	---	-------------	---	---------------------	---	--------------------



> HOW TO



26 - DESIGN TABLE

> EXAMPLE OF A DESIGN TABLE INSERTED IN AN EXISTING FIREPLACE



 L 550 x H 302 x D 230 mm L 21.5" x H 12" x D 9"	 10 kg 22 lbs	 1.5 L 1.58 qt adjustable flame	 +/- 6 hours	 2.8 KW 9 553 BTU	 Designed by DBK
---	---	--	---	---	--



27 - BURNERS



BURNER 2L / 2QTS



Burner 2L / 2qts :
L 297 x H 54 x D 203 mm
L 11.5" x H 2" x D 8"

Burner 2L / 2qts Insert :
L 309 x H 54 x D 215 mm
L 12" x H 2" x D 8.5"



3.5 kg - 7.5 lbs

BURNER 2L / 2QTS INSERT



2 L adjustable flame
2.11 qt



+/- 6 hours



2.8 KW - 9 553 BTU

BURNER 5L / 5QTS INSERT



Burner 5L / 5qts :
L 297 x H 105 x D 203 mm
L 11.5" x H 4" x D 8"

Burner 5L / 5qts Insert :
L 309 x H 105 x D 215 mm
L 12" x H 4" x D 8.5"



4.5 kg - 10 lbs

BURNER 5L / 5QTS INSERT



5 L adjustable flame
5.28 qt



+/- 12 hours



2.8 KW - 9 553 BTU



BURNER 60CM / 23"



BURNER 60CM / 23" INSERT



Burner 60cm / 23" :
L 600 x H 54 x D 205 mm
L 23.5" x H 2" x D 8"

Burner 60cm / 23" Insert :
L 620 x H 54 x D 225 mm
L 24" x H 2" x D 8.5"



8 kg - 17 lbs



3.5 L adjustable flame
3.69 qt



+/- 5 hours



3.5 KW - 11 942 BTU

BURNER 80CM / 32"



BURNER 80CM / 32" INSERT



Burner 80cm / 32" :
L 800 x H 54 x D 205 mm
L 31.5" x H 2" x D 8"

Burner 80cm / 32" Insert :
L 820 x H 54 x D 225 mm
L 32" x H 2" x D 8.5"



9.5 kg - 21 lbs



3.5 L adjustable flame
3.69 qt



+/- 4.5 hours



3.5 KW - 11 942 BTU

BURNER 100CM / 39"



BURNER 100CM / 39" INSERT



Burner 100cm / 39" :
L 990 x H 54 x D 205 mm
L 39" x H 2" x D 8"

Burner 100cm / 39" Insert :
L 1010 x H 54 x D 225 mm
L 39.5" x H 2" x D 8.5"



12 kg - 26 lbs



4.5 L adjustable flame
4.75 qt



+/- 4 hours



4.5 KW - 15 355 BTU

2 - FUEGO BOX

FUEGO BOX 2L /



 L 400 x H 100 x D 300 mm
L 15.5" x H 4" x D 12"

 3 kg - 6 lbs

FUEGO BOX 60CM & 80CM / 23" & 32"




Fuego Box 60cm : L 764 x H 100 x D 369 mm
L 30" x H 4" x D 14.5"

 Fuego Box 80cm : L 960 x H 100 x D 369 mm
L 37.5" x H 4" x D 14.5"

 Fuego Box 60cm : 5 kg - 11 lbs
Fuego Box 80cm : 7 kg - 15 lbs



FUEGO BOX 100CM / 39"



 L 1154 x H 100 x D 369 mm
L 45.5" x H 4" x D 14.5"

 9 kg - 20 lbs

ACCESSORIES



DECORATIVE STONES



DECORATIVE WOOD (SET2)



DECORATIVE WOOD (SET 1)



BIO-ETHANOL



1L
1.1qt



+/- 3 hrs per 1L
1.1qt

BLACK BOX FOR BURNER 2L / 2QTS



L 325 x H 80 x D 231 mm
L 12.5" x H 3" x D 9"



5 kg - 11 lbs

TECHNICAL INFORMATION

PRODUCT SIZE & WEIGHT					COLOR					MATE- RIAL	FRONT GLASS	BURNER					ACCESSORIES					CLEARANCE						
Product Name	L (mm)	H (mm)	D (mm)	Weight (kg / lbs)	Black	White	Stainless Steel	Taupe	Green	Red	Powder Coated Steel	Stainless Steel	Included	Optional	Capacity (L / qt)	Adjustable flame	Burning time (hrs)	Heating capacity (KW)	Bio-ethanol	Safer-bio-fuel*	Hanging System	Extinguisher	Funnel	Lighter	Stones	Manual	Minimum room surface	Minimum distance to objects
Diamond I	790 mm 31"	625 mm 24½"	200 mm 7½"	22 kg 49 lbs	✓		✓				✓			✓	1 L 1.06 qt		3	2 KW 6824 BTU	✓		✓	✓	✓	✓	✓	✓	49 m³ 1730 ft³	1 m 3 feet
Diamond II	791 mm 31"	626 mm 24½"	201 mm 7½"	22 kg 49 lbs	✓		✓				✓			✓	1 L 1.06 qt		3	2 KW 6824 BTU	✓	✓	✓	✓	✓	✓	✓	✓	49 m³ 1730 ft³	1 m 3 feet
Square Small I	880 mm 34½"	550 mm 21½"	163 mm 6½"	35 kg 79 lbs	✓		✓				✓	✓		✓	1.2 L 1.27 qt		3	2 KW 6824 BTU	✓		✓	✓	✓	✓	✓	✓	49 m³ 1730 ft³	1 m 3 feet
Square Small II	880 mm 34½"	550 mm 21½"	163 mm 6½"	35 kg 79 lbs	✓		✓				✓	✓		✓	2.4 L 2.54 qt	✓	3	3.6 KW 12283 BTU	✓	✓	✓	✓	✓	✓	✓	✓	62 m³ 2190 ft³	1 m 3 feet
Square Large I	1101 mm 43"	551 mm 21½"	163 mm 6½"	45 kg 92 lbs	✓		✓				✓	✓		✓	1.6 L 1.69 qt		3	2.6 KW 8877 BTU	✓		✓	✓	✓	✓	✓	✓	54 m³ 1906 ft³	1 m 3 feet
Square Large II	1101 mm 43"	551 mm 21½"	163 mm 6½"	45 kg 92 lbs	✓		✓				✓	✓		✓	2.4 L 2.54 qt	✓	3	3.9 KW 13307BTU	✓	✓	✓	✓	✓	✓	✓	✓	62 m³ 2190 ft³	1 m 3 feet
Square XL I	1501 mm 59"	551 mm 21½"	163 mm 6½"	68 kg 149 lbs	✓		✓				✓	✓		✓	2.4 L 2.54 qt		3	4 KW 13657 BTU	✓		✓	✓	✓	✓	✓	✓	62 m³ 2190 ft³	1 m 3 feet
Square XL II	880 mm 59"	551 mm 21½"	163 mm 6½"	68 kg 149 lbs	✓		✓				✓	✓		✓	3.6 L 3.80 qt	✓	3	5.4 KW 18425 BTU	✓	✓	✓	✓	✓	✓	✓	✓	85 m³ 3002 ft³	1 m 3 feet
Square Vertical	551,6 mm 21½"	801 mm 31½"	173 mm 7"	30 kg 66 lbs	✓		✓				✓	✓		✓	1.2 L 1.27 qt	✓	3	2 KW 6824 BTU	✓	✓	✓	✓	✓	✓	✓	✓	49 m³ 1730 ft³	1 m 3 feet
Qwara	600 mm 23½"	600 mm 23½"	170 mm 6½"	25 kg 55 lbs	✓	✓					✓		✓		1.2 L 1.27 qt	✓	3	2 KW 6824 BTU	✓	✓	✓	✓	✓	✓	✓	✓	49 m³ 1730 ft³	1 m 3 feet
Colombus	600 mm 23½"	500 mm 19½"	200 mm 8"	22 kg 49 lbs	✓	✓					✓		✓		1.2 L 1.27 qt	✓	3	2 KW 6824 BTU	✓	✓	✓	✓	✓	✓	✓	✓	49 m³ 1730 ft³	1 m 3 feet
Qube Small	800 mm 31½"	800 mm 31½"	250 mm 10"	45 kg 99 lbs	✓	✓					✓		✓		1.5 L 1.58 qt	✓	6	2.8 KW 9553 BTU	✓	✓		✓	✓	✓		✓	54 m³ 1906 ft³	1 m 3 feet
Qube Large	1200 mm 47"	800 mm 31½"	300 mm 11½"	70 kg 154 lbs	✓	✓					✓		✓		3 L 3.17 qt	✓	6	5.6 KW 19106 BTU	✓	✓		✓	✓	✓		✓	85 m³ 3002 ft³	1 m 3 feet
Orlando	1004 mm 39½"	704 mm 27½"	250 mm 10"	45 kg 99 lbs	✓	✓					✓		✓		1.5 L 1.58 qt	✓	6	2.8 KW 9553 BTU	✓	✓		✓	✓	✓		✓	54 m³ 1906 ft³	1 m 3 feet
Keops	500 mm 19½"	691 mm 27"	350 mm 13½"	30 kg 66 lbs	✓	✓					✓		✓		1.2 L 1.27 qt	✓	3	2 KW 6824 BTU	✓	✓		✓	✓	✓		✓	49 m³ 1730 ft³	1 m 3 feet
Veniz without glass	604 mm 23½"	130 mm 5"	400 mm 15½"	15 kg 33 lbs	✓	✓					✓			✓	2 L 2.11 qt	✓	6	2.8 KW 9553 BTU	✓	✓		✓	✓	✓		✓	54 m³ 1906 ft³	1 m 3 feet

PRODUCT SIZE & WEIGHT					COLOR					MATE- RIAL	FRONT GLASS	BURNER						ACCESSORIES					CLEARANCE					
Product Name	L (mm)	H (mm)	D (mm)	Weight (kg / lbs)	Black	White	Stainless Steel	Taupe	Green	Red	Powder Coated Steel	Stainless Steel	Included	Optional	Capacity (L / qt)	Adjustable flame	Burning time (hrs)	Heating capacity (KW)	Bio-ethanol	Safer-bio-fuel*	Hanging System	Extinguisher	Funnel	Lighter	Stones	Manual	Minimum room surface	Minimum distance to objects
Veniz with glass	650 mm 25½"	500 mm 19½"	417 mm 16"	20 kg 44 lbs	✓	✓					✓		✓		2 L 2.11 qt	✓	6	2.8 KW 9553 BTU	✓	✓		✓	✓	✓		✓	54 m³ 1906 ft³	1 m 3 feet
Column Small	404 mm 15½"	810 mm 32"	404 mm 15½"	22 kg 49 lbs	✓	✓					✓		✓		2 L 2.11 qt	✓	6	2.8 KW 9553 BTU	✓	✓		✓	✓	✓		✓	54 m³ 1906 ft³	1 m 3 feet
Column Large	404 mm 15½"	1270 mm 50"	404 mm 15½"	32 kg 70 lbs	✓	✓					✓		✓		2 L 2.11 qt	✓	6	2.8 KW 9553 BTU	✓	✓		✓	✓	✓		✓	54 m³ 1906 ft³	1 m 3 feet
Pipes Mini	172 mm 6½"	250 mm 10"	172 mm 6½"	3½ kg 7½ lbs			✓					✓			0.3 L 0.35qt		2	1.2 KW 3412 BTU	✓			✓	✓	✓		✓	outdoor use	1 m 3 feet
Pipes Small	390 mm 15"	600 mm 23½"	390 mm 15"	13 kg 28 lbs			✓					✓			1.2 L 1.27 qt		3	2 KW 6824 BTU	✓			✓	✓	✓		✓	outdoor use	1 m 3 feet
Pipes Large	390 mm 15"	1200 mm 47"	390 mm 15"	18 kg 39 lbs			✓					✓			1.2 L 1.27 qt		3	2 KW 6824 BTU	✓			✓	✓	✓		✓	outdoor use	1 m 3 feet
Valetta	500 mm 19½"	300 mm 12"	142 mm 5½"	12 kg 26 lbs	✓	✓		✓			✓		✓		0.5 L 0.53 qt		2½	1.2 KW 3412 BTU	✓			✓	✓	✓		✓	30 m³ 1059 ft³	1 m 3 feet
Valetta Large	1000 mm 39"	600 mm 23½"	215 mm 8½"	20 kg 44 lbs	✓	✓		✓			✓		✓		1.5 L 1.58 qt	✓	3	2.8 KW 9553 BTU	✓	✓		✓	✓	✓		✓	49 m³ 1730 ft³	1 m 3 feet
Lisboa	400 mm 15½"	337 mm 13"	300 mm 11½"	20 kg 44 lbs	✓	✓		✓		✓	✓		✓		1.2 L 1.27 qt	✓	3	2.6 KW 8877 BTU	✓	✓		✓	✓	✓		✓	30 m³ 1059 ft³	1 m 3 feet
Kaslik Small	250 mm 10"	271 mm 10½"	250 mm 10"	8 kg 17½ lbs	✓	✓			✓	✓	✓		✓		0.5 L 0.53 qt	✓	3	1.2 KW 3412 BTU	✓			✓	✓	✓		✓	30 m³ 1059 ft³	1 m 3 feet
Kaslik Large	400 mm 15½"	421 mm 16½"	400 mm 15½"	15 kg 33 lbs	✓	✓			✓	✓	✓		✓		1.2 L 1.27 qt	✓	3	2 KW 6824 BTU	✓	✓		✓	✓	✓		✓	49 m³ 1730 ft³	1 m 3 feet
Insert Table	422 mm 16½"	302 mm 12"	250 mm 10"	20 kg 44 lbs			✓				✓	✓	✓		2 L 2.11 qt	✓	6	2.8 KW 9553 BTU	✓	✓		✓	✓	✓		✓	54 m³ 1906 ft³	1 m 3 feet
Design Table	550 mm 21½"	302 mm 12"	230 mm 9"	10 kg 22 lbs	✓						✓		✓		1.5 L 1.58 qt	✓	6	2.8 KW 9553 BTU	✓	✓		✓	✓	✓		✓	54 m³ 1906 ft³	1 m 3 feet
Navarro	2000mm 78½"	1100mm 43½"	400mm 15½"	50 kg 110 lbs	✓						✓				1 L 1.06 qt	✓	4	7.2 KW 24567 BTU	✓	✓		✓	✓		✓	85 m³ 3002 ft³	1 m 3 feet	
Navarro small	1100mm 43½"	1000mm 39½"	400mm 15½"	34 kg 75 lbs	✓						✓				1 L 1.06 qt	✓	2	3.6KW 12284 BTU	✓	✓		✓	✓		✓	62 m³ 2190 ft³	1 m 3 feet	

TECHNICAL INFORMATIONS

PRODUCT SIZE & WEIGHT					COLOR					MATE- RIAL	FRONT GLASS	BURNER						ACCESSORIES						CLEARANCE				
Product Name	L (mm)	H (mm)	D (mm)	Weight (kg / lbs)	Black	White	Stainless Steel	Taupe	Green	Red	Powder Coated Steel	Stainless Steel	Included	Optional	Capacity (L / qt)	Adjustable flame	Burning time (hrs)	Heating capacity (KW)	Bio-ethanol	Safer-bio-fuel*	Hanging System	Extinguisher	Funnel	Lighter	Stones	Manual	Minimum room surface	Minimum distance to objects
Burner 2 L	297 mm 11½"	54 mm 2"	203 mm 8"	3½ kg 7½ lbs			✓				✓				2 L 2.11 qt	✓	6	2.8 KW 9553 BTU	✓	✓		✓	✓	✓		✓	54 m³ 1906 ft³	1 m 3 feet
Burner 2 L Insert	309 mm 12"	54 mm 2"	215 mm 8½"	3½ kg 7½ lbs			✓				✓				2 L 2.11 qt	✓	6	2.8 KW 9553 BTU	✓	✓		✓	✓	✓		✓	54 m³ 1906 ft³	1 m 3 feet
Burner 5 L	297 mm 11½"	105 mm 4"	203 mm 8"	4½ kg 10 lbs			✓				✓				5 L 5.28 qt	✓	12	2.8 KW 9553 BTU	✓	✓		✓	✓	✓		✓	54 m³ 1906 ft³	1 m 3 feet
Burner 5 L Insert	309 mm 12"	105 mm 4"	215 mm 8½"	4½ kg 10 lbs			✓				✓				5 L 5.28 qt	✓	12	2.8 KW 9553 BTU	✓	✓		✓	✓	✓		✓	54 m³ 1906 ft³	1 m 3 feet
Burner 60 cm	600 mm 23½"	54 mm 2"	205 mm 8"	8 kg 17 lbs			✓				✓				3.5 L 3.69 qt	✓	5	3.5 KW 11942 BTU	✓	✓		✓	✓	✓		✓	62 m³ 2190 ft³	1 m 3 feet
Burner 60 cm Insert	620 mm 24"	54 mm 2"	225 mm 8½"	8 kg 17 lbs			✓				✓				3.5 L 3.69 qt	✓	5	3.5 KW 11942 BTU	✓	✓		✓	✓	✓		✓	62 m³ 2190 ft³	1 m 3 feet
Burner 80 cm	800 mm 31½"	54 mm 2"	205 mm 8"	9½ kg 21 lbs			✓				✓				3.5 L 3.69 qt	✓	4½	3.5 KW 11942 BTU	✓	✓		✓	✓	✓		✓	62 m³ 2190 ft³	1 m 3 feet
Burner 80 cm Insert	820 mm 32"	54 mm 2"	225 mm 8½"	9½ kg 21 lbs			✓				✓				3.5 L 3.69 qt	✓	4½	3.5 KW 11942 BTU	✓	✓		✓	✓	✓		✓	62 m³ 2190 ft³	1 m 3 feet
Burner 100 cm	990 mm 39"	54 mm 2"	205 mm 8"	12 kg 26 lbs			✓				✓				4.5 L 4.75 qt	✓	4	4.5 KW 15355 BTU	✓	✓		✓	✓	✓		✓	85 m³ 3002 ft³	1 m 3 feet
Burner 100 cm Insert	1010 mm 39½"	54 mm 2"	225 mm 8½"	12 kg 26 lbs			✓				✓				4.5 L 4.75 qt	✓	4	4.5 KW 15355 BTU	✓	✓		✓	✓	✓		✓	85 m³ 3002	1 m 3 feet
Insert Table box	463 mm 18"	100 mm 4"	343 mm 13½"	5 kg 11 lbs	✓	✓					✓																	
Fuego Box for Burner 2 L	400 mm 15½"	100 mm 4"	300 mm 12"	3 kg 6 lbs	✓	✓					✓																	
Fuego Box Burner 60 cm	764 mm 30"	100 mm 4"	369 mm 14½"	5 kg 11 lbs	✓						✓																	
Fuego Box Burner 80 cm	960 mm 37½"	100 mm 4"	369 mm 14½"	7 kg 15 lbs	✓						✓																	
Fuego Box Burner 100 cm	1154 mm 45½"	100 mm 4"	369 mm 14½"	9 kg 20 lbs	✓						✓																	
Black Box for Burner 2 L	325 mm 12½"	80 mm 3"	231 mm 9"	5 kg 11 lbs	✓						✓																	